

01 Specs 02 Title	Connection cable DMX / 1,5 m /01	29.11.16 AO VS.02	Project No.
Item / No.	Description / Quantity / Unit	Unit Price	Total
01.1			
Position	<p>Description: Connection cable for the connection of DMX products</p> <p>Suitable for dry and wet assembly.</p> <p>Environmental conditions for dry application: none</p> <p>Environmental conditions for wet application (waterquality): Installation and operation in fresh-, pool- and seawater.*</p> <p>Technical data: Length: 1,5m Cable (AES/EBU CableBinary 234): 4 x 0.34 mm² DMX plug (XLR): 1 x In 1 x Out Integrated water barrier : yes Pin allocation: Pin 1: shield Pin 2: minus Pin 3: plus Pin 4: n.c. Pin 5: n.c.</p> <p>*</p>		
water-quality-matrix			
	Freshwater	Poolwater	Seawater
PH.Value	7,2 -7,6	7,2 -7,6	8
Hardness	8 -15 ° DH; 142 -267 ppm CaCo3	8 -15 ° DH; 142 -267 ppm CaCo3	20 -30 ° DH; 356 - 534 ppm CaCo3
Free Chlorine	< 0,3 mg/l; < 0,036 moz/gal	0,3 -0,6 mg/l; 0,036 - 0,072 moz/gal	< 0,3 mg/l; < 0,036 moz/gal
Chlorine concentration	< 250 mg/l; < 30,28 moz/gal	< 200 mg/l; < 24,2 moz/gal	<=22000 mg/l; <=2664 moz/gal
Salinity	n. d.	n. d.	<= 4%; <= 40.000 ppm
Total Dry Residue	< 50 mg/l; < 6,06 moz/gal	< 50 mg/l; < 6,06 moz/gal	< 250mg/l; < 30,28 moz/gal
Temperature	4 -35° C; 39 - 95 ° F	4 -30° C; 39 - 86 ° F	4 - 20 ° C; 39 - 68 ° F
<p>Supply and delivery according to manufacturer specifications</p> <p>Product / proof of delivery: Connection cable DMX / 1,5 m /01 Art. 49628</p> <p>OASE GmbH Tecklenburger Str. 161 48477 Hörstel / Germany Phone: +49 5454 800</p> <p>(or equivalent) Entered by the bidder</p>			