Page 1 of 6

Date of issue: 18.02.2020 Replaces Data Sheet of: ---

"*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade Name: SchlixX Plus Komponente A

Article No.:

Preparation No.: BG-P-TSE-KOMP-A-(1)

Registration No.: n.ap.

Relevant identified uses of the substance or mixture and uses advised against 1.2

Identified uses: Pond care

Details of the supplier of the safety data sheet 1.3

1.3.1 Address of the Company / Supplier:

Oase GmbH, Tecklenburger Straße 161, 48477 Hörstel, Germany

Telephone: +49 (5454) 800, Telefax: +49 (5454) 8090, E-Mail: m.dreyer@oase-livingwater.com

Responsible for the data sheet: 1.3.2

CoSiChem AG, Ernst-Lemmer-Straße 23, 35041 Marburg, info@cosichem.de

1.4 **Emergency telephone number**

Emergency - Telephone of Company / Undertaking

Telephone: +49 (5454) 80450

Markus Drever, Forschung und Entwicklung (8:30 – 16:30)

National Poisons Information Service Telephone: +44 121 507 4123

SECTION 2: Hazards identification

Classification of the substance or mixture

Eve Dam. 1; H318

2.2 Label elements

Classification according to 1272/2008/EC: Yes.

Applicable Exemptions: No. Signal word(s): Danger

Component(s): contains:

Reaction mass of calcium carbonate and calcium dihydroxide and calcium peroxide

H - Phrases:

H318: Causes serious eye damage.

P - Phrases:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P313: Get medical advice/attention.

P261: Avoid breathing dust.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P402: Store in a dry place.

P501: Dispose of contents / container to municipal collection point.

Additional Markings:

2.3 Other hazards

Dust may cause irritation of respiratory tract.

This mixture contains no substances which are assessed to be PBT or vPvB.



Page 2 of 6

Trade Name: SchlixX Plus Komponente A

Company / Supplier: Oase GmbH, Tecklenburger Straße 161, 48477 Hörstel, Germany Telephone: +49 (5454) 800, Date of issue: 18.02.2020 Replaces Data Sheet of: ---

SECTION 3: Composition/information on ingredients

3.1 Substances

n.ap.

3.2 Mixtures

Chemical Characterisation:

Mixture of inorganic salts.

Dangerous Ingredients:

Material CAS - No. Hazard Code(s) / H	Index - No. I - phrases	EC - No.	REACH - No.	m% - range
Calcium chloride * 22691-02-7 Eye Irrit. 2; H319	x hydrate n.av.	233-140-8	01-2119494219-28-xxxx	10 - 20%
Reaction mass of calcium carbonate and calcium dihydroxide and calcium peroxide n.av. n.ap. 908-343-6 01-2119974579-15-xxxx STOT SE 3; H335 / Eye Dam. 1; H318 / Ox. Sol. 1; H271				

Text of H - phrases: see section 16 m% - range: $x - y \triangleq x \ge - < y$

SECTION 4: First aid measures

4.1 Description of first aid measures

4.1.1 **Inhalation:**

Move to fresh air. Consult a physician if necessary.

4.1.2 Skin Contact:

Before washing use a dry brush to remove dust from skin. Wash off with soap and water.

If symptoms persist, call a physician.

4.1.3 Eye Contact:

Call a physician immediately.

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

4.1.4 **Ingestion:**

Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting.

Consult a physician if necessary.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable Extinguishing Media:

Use dry chemical, CO₂, water spray or "alcohol" foam.

5.1.2 **Extinguishing Media to Avoid:**

None.

5.2 Special hazards arising from the substance or mixture

In the event of fire carbon oxides respirable dust may be formed.

5.3 Advice for firefighters

5.3.1 Special Protective Equipment:

Wear positive pressure self-contained breathing apparatus. Wear full protective clothing.

5.3.2 Additional Information:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn, but it is slightly oxidising.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Page 3 of 6

Trade Name: SchlixX Plus Komponente A

Company / Supplier: Oase GmbH, Tecklenburger Straße 161, 48477 Hörstel, Germany Telephone: +49 (5454) 800, Date of issue: 18.02.2020 Replaces Data Sheet of: ---

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

See chapter 8.2.2

6.2 Environmental precautions

Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Use mechanical handling equipment. Avoid dust formation. Shovel into suitable container for disposal.

6.4 Reference to other sections

None.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

7.1.1 Precautions for Safe Handling:

Do not breathe dust. Avoid contact with the skin and the eyes.

When using, do not eat, drink or smoke.

Remove and wash contaminated clothing before re-use.

Wash hands before breaks and at the end of workday.

Never return unused material to storage receptacle.

7.1.2 Precautions in Case of Fire and Explosion:

Normal measures for preventive fire protection.

Keep away from heat and sources of ignition. Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

7.2.1 Storage Instructions:

Protect against humid air and water (hygroscopic). Keep in a dry, cool and well-ventilated place.

Store in original container. Do not keep container sealed.

7.2.2 Store away from:

Do not store near acids. Keep away from combustible material.

7.2.3 Further Information on Storage Conditions:

Ensure adequate ventilation, especially in confined areas.

7.3 Specific end use(s)

n.av.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Material Limit Value

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide for appropriate exhaust ventilation and dust collection at machinery.

8.2.2 Individual protection measures

8.2.2a **Respiratory Protection:** Not required under normal use.

8.2.2b **Hand Protection:** Protective gloves complying with EN 374.

Butyl-rubber (0,4 mm) break through time > 8 h

The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the

producer of the protective glove.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger

of cuts, abrasion, and the contact time.

8.2.2c Eye Protection: Tightly fitting safety goggles
8.2.2d Skin Protection: Long sleeved clothing
8.2.2e Further Information: Observe wearing time limits:

8.2.3 Environmental exposure controls:

n.av.

Page 4 of 6

Trade Name: SchlixX Plus Komponente A

Company / Supplier: Oase GmbH, Tecklenburger Straße 161, 48477 Hörstel, Germany Telephone: +49 (5454) 800, Date of issue: 18.02.2020 Replaces Data Sheet of: ---

SECTION 9: Physical and chemical properties

9.1	Information on basic	physical and	d chemical	properties

9.1.1 **Form:** powder **Colour:** white **Odour:** odourless

Odour threshold: n.av.

9.1.2 pH-value, undiluted: n.av. pH-value, 1% aqueous solution: n.av.

9.1.3 Boiling point / Boiling - range (°C): n.av., Melting point / Melting range (°C): n.av.

9.1.4 Flash point (°C): n.av., closed cup

9.1.5 Flammability (EEC A10/A13): No.
9.1.6 Ignition temperature (°C): n.ap.
9.1.7 Autoflammability (EEC A16): n.ap.
9.1.8 Oxidising properties: No.
9.1.9 Explosion hazard: None.

9.1.10 Explosion limits (Vol.%) lower: n.ap., upper: n.ap.

Vapour pressure: 9.1.11 n.av. Vapour density (Air = 1): n.av. 9.1.12 Density (g/ml): n.av. Solubility (in Water): 9.1.13 soluble 9.1.14 Partition coefficient, n-Octanol / Water: n.av. 9.1.15 Viscosity: n.ap. 9.1.16 Solvent content (m %): n.ap.

9.1.16 Solvent content (m %): n.ap.
9.1.17 Thermal decomposition (°C): n.av.
9.1.18 Evaporation rate: n.av.

9.2 Other information

n.av.

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

Decomposes slowly on exposure to water.

10.3 Possibility of hazardous reactions

Risk of decomposition.

10.4 Conditions to avoid

Protect against humid air and water (hygroscopic).

10.5 **Incompatible materials**

Incompatible with acids.

10.6 Hazardous decomposition products

Decomposes in contact with water, acids.

Hazardous decomposition products: oxygen carbon oxides.

Page 5 of 6

Trade Name: SchlixX Plus Komponente A

Company / Supplier: Oase GmbH, Tecklenburger Straße 161, 48477 Hörstel, Germany Telephone: +49 (5454) 800, Date of issue: 18.02.2020 Replaces Data Sheet of: ---

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute Health Effects:

Inhalation:n.av.Ingestion:n.av.Skin Contact:n.av.Skin corrosion / irritation:Slight

Serious eye damage / irritation: Causes serious eye damage.

Respiratory or skin sensitisation:

Germ cell mutagenicity:

Carcinogenicity:

Reproductive toxicity:

STOT-single exposure:

STOT-repeated exposure:

Aspiration hazard:

None.

None.

Nav.

n.av.

n.av.

11.1.1 - Practical Experience

11.1.11 n.av.

11.1.12 Practical Experience

Observations relevant for classification:

None

Further Observations:

None.

Classification of the preparation has been done by calculation in accordance with EEC directives.

SECTION 12: Ecological information

12.1 Toxicity

Ecological injuries are not known or expected under normal use.

We have no quantitative data concerning the ecological effects of this product.

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

n.av.

12.4 Mobility in soil

n.av.

12.5 Results of PBT and vPvB assessment

This mixture contains no substances which are assessed to be PBT or vPvB.

12.6 Other adverse effects

 12.6.1
 COD-Value, mg/g:
 n.av.

 12.6.2
 BOD5-Value, mg/g:
 n.av.

12.6.3 AOX-Remarks: Not applicable.

12.6.4 Significant Components: None.

12.6.5 Other adverse effects: Not applicable.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Recommendation: D10 / R 4 Waste - Code - No.:

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

In addition comply with the regional authorities.

13.2 Contaminated Packaging

13.2.1 Recommendation: Wash with suitable cleaner. Otherwise as described under Residues.

13.2.2 Safe Handling: As described under Residues.

Trade Com	ety Data Sheet in Accorda e Name: SchlixX Plus Komponente A pany / Supplier: Oase GmbH, Tecklenbur phone: +49 (5454) 800, Date of issue: 18.	ger Straße 161, 48477 Hörstel, Ge	ermany
	ION 14: Transport information	02.2020 Replaces Bata Glicet of.	
OLOT	ADR Not a dangerous substance as defined	IMDG d in the above regulations.	IATA
14.1	UN number		
14.2	UN proper shipping name		
14.3	Transport hazard class(es)		
14.4	Packing group		
14.5	Environmental hazards		
14.6	Special precautions for user		De aline a la administrata
	Transport category: Classification Code:		Packing Instructions (Passenger)
	Hazard - No.: LQ:		Packing Instructions (Cargo)
14.7	Transport in bulk according to Annex	II of MARPOL73/78 and the IBC	Code
-			
SECT 15.1	ION 15: Regulatory information Safety, health and environmental reg	ulations/legislation specific for	the substance or mixture
15.2	n.av. Chemical safety assessment:		
	n.ap.		
	ION 16: Other information		
H271: H318: H319:	f H phrases mentioned in Section 3 May cause fire or explosion; strong oxidi Causes serious eye damage. Causes serious eye irritation. May cause respiratory irritation.	ser.	
The standard proper Prepar	atasheet has been compiled in accordang atements in this Material Safety Data She sible. They are given for information only ties. They must neither be altered nor tra red by: CoSiChem AG, Ernst-Lemmer-Stra of Data: 22.11.2019, \$söl_0120_0	eet were made to the best of our l	ctual guarantee of a product's