

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Rückwandkleber 75 g**

Revision date: 10.08.2018

Product code: 71147

Page 1 of 9

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Rückwandkleber 75 g

**Further trade names**

Product code: 71147

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**

Adhesives, sealants

**Uses advised against**

Any non-intended use.

**1.3. Details of the supplier of the safety data sheet**

Company name:	OASE GmbH	
Street:	Tecklenburger Straße 161	
Place:	D-48477 Hörstel	
Telephone:	+49 (5454) 800	Telefax: +49 (5454) 8090
e-mail:	info@oase-livingwater.com	
Contact person:	Markus Dreyer; Forschung und Entwicklung	Telephone: +49 (5454) 80450
e-mail:	m.dreyer@oase-livingwater.com	
Internet:	www.oase-livingwater.com	
Responsible Department:	Dr. Gans-Eichler Chemieberatung GmbH Raesfeldstr. 22 D-48149 Münster	e-mail: info@tge-consult.de Tel.: +49(0)251/394868-69 www.tge-consult.de

**1.4. Emergency telephone number:**

Beratungsstelle für Vergiftungserscheinung in Berlin: +49 (30) - 30686 790

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Regulation (EC) No. 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

**2.2. Label elements**

**Regulation (EC) No. 1272/2008**

**Special labelling of certain mixtures**

EUH208	Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate, N-(3-(trimethoxysilyl)propyl)ethylenediamine, N-[3-(dimethoxymethylsilyl)propyl]ethylenediamine. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

**2.3. Other hazards**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
No risks worthy of mention. Please observe the information on the safety data sheet at all times.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Hazardous components**

CAS No	Chemical name	Index No	REACH No	Quantity
	EC No			

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Rückwandkleber 75 g

Revision date: 10.08.2018

Product code: 71147

Page 2 of 9

	Classification according to Regulation (EC) No. 1272/2008 [CLP]		
2768-02-7	trimethoxyvinylsilane		1 - < 5 %
	220-449-8		
	Flam. Liq. 3, Acute Tox. 4; H226 H332		

Full text of H and EUH statements: see section 16.

#### Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

##### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

##### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

##### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

##### After ingestion

Rinse mouth thoroughly with water. Let water be drunk in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. alcohol resistant foam. Atomized water.

##### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO<sub>2</sub>).

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation.  
Do not breathe dust.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Rückwandkleber 75 g

Revision date: 10.08.2018

Product code: 71147

Page 3 of 9

Wear personal protection equipment (refer to section 8).

#### **6.2. Environmental precautions**

Discharge into the environment must be avoided.

#### **6.3. Methods and material for containment and cleaning up**

Take up mechanically.

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

Wear personal protection equipment (refer to section 8).

#### **Advice on protection against fire and explosion**

Usual measures for fire prevention. Dust clouds may present an explosion hazard.

#### **Further information on handling**

Avoid generation of dust.

General protection and hygiene measures: refer to chapter 8

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

#### **Advice on storage compatibility**

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

#### **Further information on storage conditions**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

### **7.3. Specific end use(s)**

See section 1.

## SECTION 8: Exposure controls/personal protection

### **8.1. Control parameters**

#### **Additional advice on limit values**

To date, no national critical limit values exist.

### **8.2. Exposure controls**

#### **Appropriate engineering controls**

No special measures are necessary.

#### **Protective and hygiene measures**

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

#### **Eye/face protection**

Dust protection goggles.

#### **Hand protection**

In case of prolonged or frequently repeated skin contact:

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Rückwandkleber 75 g

Revision date: 10.08.2018

Product code: 71147

Page 4 of 9

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time  $\geq$  8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time  $\geq$  8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Suitable protective clothing: Protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

#### Environmental exposure controls

No special precautionary measures are necessary.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Paste	
Colour:	black	
Odour:	characteristic	
pH-Value:		not determined

#### Changes in the physical state

Melting point:		not determined
Initial boiling point and boiling range:		270 °C
Sublimation point:		not determined
Softening point:		not determined
Pour point:		not determined
Flash point:		227 °C
Sustaining combustion:		Not sustaining combustion

#### Explosive properties

none

Lower explosion limits:		not determined
Upper explosion limits:		not determined
Ignition temperature:		not determined

#### Auto-ignition temperature

Gas:		not determined
Decomposition temperature:		not determined

#### Oxidizing properties

none

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Rückwandkleber 75 g

Revision date: 10.08.2018

Product code: 71147

Page 5 of 9

Vapour pressure:	not determined
Density:	1,542 g/cm <sup>3</sup>
Bulk density:	not determined
Water solubility:	Immiscible
<b>Solubility in other solvents</b>	
not determined	
Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Flow time:	not applicable
Vapour density:	not applicable
Evaporation rate:	not applicable
Solvent separation test:	not applicable
Solvent content:	not determined

#### **9.2. Other information**

Solid content:	not determined
----------------	----------------

### SECTION 10: Stability and reactivity

#### **10.1. Reactivity**

No information available.

#### **10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

#### **10.3. Possibility of hazardous reactions**

No information available.

#### **10.4. Conditions to avoid**

Protect against: UV-radiation/sunlight. heat.

#### **10.5. Incompatible materials**

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

#### **10.6. Hazardous decomposition products**

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO<sub>2</sub>).

### SECTION 11: Toxicological information

#### **11.1. Information on toxicological effects**

##### **Toxicokinetics, metabolism and distribution**

No data available.

##### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
2768-02-7	trimethoxyvinylsilane				
	oral	LD50 >5000 mg/kg	Rat	ECHA Dossier	
	dermal	LD50 (>2000) mg/kg	Rabbit	ECHA Dossier	

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Rückwandkleber 75 g

Revision date: 10.08.2018

Product code: 71147

Page 6 of 9

	inhalation (4 h) vapour	LC50	16,8 mg/l	Rat	ECHA Dossier	
	inhalation aerosol	ATE	1,5 mg/l			

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate, N-(3-(trimethoxysilyl)propyl)ethylenediamine, N-[3-(dimethoxymethylsilyl)propyl]ethylenediamine. May produce an allergic reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available.

## SECTION 12: Ecological information

### 12.1. Toxicity

The product has not been tested.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
2768-02-7	trimethoxyvinylsilane					
	Acute fish toxicity	LC50	191 mg/l	96 h	Oncorhynchus mykiss	ECHA Dossier
	Acute algae toxicity	ErC50	210 mg/l	72 h	Pseudokirchnerella subcapitata	ECHA Dossier
	Acute crustacea toxicity	EC50 mg/l	168,7	48 h	Daphnia magna	ECHA Dossier

### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
2768-02-7	trimethoxyvinylsilane				
	-	51%	28	ECHA Dossier	
	Poorly biodegradable.				

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2768-02-7	trimethoxyvinylsilane	-2

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Rückwandkleber 75 g

Revision date: 10.08.2018

Product code: 71147

Page 7 of 9

#### **12.6. Other adverse effects**

No data available.

#### **Further information**

Do not allow to enter into surface water or drains.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **Advice on disposal**

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

##### **Waste disposal number of waste from residues/unused products**

200128 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); paint, inks, adhesives and resins other than those mentioned in 20 01 27

##### **Waste disposal number of used product**

200128 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); paint, inks, adhesives and resins other than those mentioned in 20 01 27

##### **Waste disposal number of contaminated packaging**

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

##### **Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### **Land transport (ADR/RID)**

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

#### **Inland waterways transport (ADN)**

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

#### **Marine transport (IMDG)**

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

#### **Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number:</b>	No dangerous good in sense of this transport regulation.
-------------------------	--

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Rückwandkleber 75 g

Revision date: 10.08.2018

Product code: 71147

Page 8 of 9

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

refer to chapter 6-8

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

##### Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].  
REACH 1907/2006 Appendix XVII, No (mixture): not relevant

##### National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

### SECTION 16: Other information

#### Changes

Rev. 1.0; 10.08.2018, Initial release

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Rückwandkleber 75 g

Revision date: 10.08.2018

Product code: 71147

Page 9 of 9

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern

TRGS Technische Regeln fuerGefahrstoffe

TSCA: Toxic Substances Control Act

VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrungsklasse

#### Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

EUH208 Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate, N-(3-(trimethoxysilyl)propyl)ethylenediamine, N-[3-(dimethoxymethylsilyl)propyl]ethylenediamine. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### Further Information

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*